SUBJECT INDEX TO VOLUME 41

AMPHIBIANS
quantitative genetics, life-history variation, *Hyla crucifer*, 145
hybridizing populations, mitochondrial DNA, *Hyla cinerea* and *H. gratiosa*, 157
mitochondrial DNA, phylogenetic model, *Xenopus*, 176
ribosomal DNA, *Rana*, 454
call alternation, anurans (*Hyla crucifer, H. versicolor*, and *H. microcephala*), 461
polyploidy, hybrids, embryonic development, hatching success, salamanders (*Ambystoma*), 918
larval developmental patterns, heritability, genetic correlation, half- and full-sib designs, wood frogs (*Rana sylvatica*), 1088
genome size, developmental rate, limb regeneration, salamanders (Plethodontidae), 1239
length of larval period, small-mouthed salamanders (*Ambystoma texanum*), 1347

ANNELIDS
hooked setae, polychaetes, 427

ARACHNIDS
sexual dimorphism, sexual selection, male-chela size, pseudoscorpions (*Dinocheirus arizonensis*), 1072
sex ratio, demography, relatedness, social spiders, model, 1267

BEHAVIOR
mate choice, color-pattern variation, guppies, 1
aggressiveness, lifetime reproductive success, sexual selection, dragonflies, 22
selection for sexual isolation, *Drosophila mojavensis*, 37
photoresponse, sympatric species, drosophilids, 209
influence of familiarity, inbreeding wild horses, 229
call alternation, anurans, 461
thermoregulation, behavioral posture, wing pigmentation, butterflies, 472
courtship and territorial behavior, premating reproductive isolation, plumage phenotypes, hybridization, sexual selection, flickers, 539
social-system differences, delayed maturation, manakins, 547
seed-caching (Clark's nutcrackers), seed dispersal, family structure, spatial patterning, whitebark pine, 607
courtship sounds, genetic analysis, *Drosophila virilis*, 827
oviposition preference, larval fitness, herbivory, plants, butterflies, 892
sexual dimorphism, sexual selection, male-chela size, pseudoscorpions, 1072
thermal preference, thermal dependence, phylogenetic analysis, coadaptation, lizards, 1098
"streak" mating, cannibalism, ESS model, charr, 1120
post-selection isolation, mate choice, *Drosophila mojavensis*, 1409

BIRDS
repeatability and heritability, clutch size, Lesser Snow Goose, 453
size dimorphism, sexual selection, niche-partitioning, sparrows (*Passerculus sandwichensis*), 514
genetic differentiation, founder effects, electrophoresis, mynas (*Acridotheres tristis*), 525
courtship and territorial behavior, premating reproductive isolation, plumage phenotypes, hybridization, sexual selection, flickers, 539
delayed plumage maturation, neoteny, sexual selection, juvenile- and female-mimicry, manakins (*Chiroxiphia linearis* and *C. caudata*), 547
mate choice, isolating mechanisms, hybridization, seabirds, 559
seed-caching behavior, Clark's nutcrackers (*Nucifraga columbiana*), seed dispersal, whitebark pine, 607
mitochondrial DNA, subspecies relatedness, Canada goose (*Branta canadensis*), 662
sexual and natural selection, body size, red-winged blackbirds (*Agelaius phoeniceus*), 1401

BOOKS REVIEWED
Genes, Organisms, Populations: Controversies Over the Units of Selection, 232
Species and Speciation, 233
Aphid Ecology, 235
Vertebrate Zoogeography and Evolution in Australasia, 236
Taxonomy, Phylogeny and Zoogeography of Beetles and Ants, a Volume Dedicated to the Memory of Philip Jackson Darlington, Jr. (1904–1983), 449
Biology of the Reptilia, 450
Evolutionary Biology, Vol. 19, 683
The Great American Biotic Interchange, 684
Population Genetics and Molecular Evolution, 1135
Insects on Plants: Community Patterns and Mechanisms, 1137
The Dialectical Biologist, 1138
Geological Factors and the Evolution of Plants, 1416

CHROMOSOMAL EVOLUTION
rates in snails and vertebrates, 166
breeding systems, floral morphology, outcrossing rates, *Turnera ulmifolia*, 340
elevational gradient, gene flow, speciation, hybridization, *Peromyscus maniculatus*, 676
mitochondrial DNA, electrophoresis, inversion types, gene flow, hybrid zone, white-footed mouse, 864
sex chromosomes, model, 911
polyploidy, hybrids, embryonic development, hatching success, salamanders, 918
sex ratio, phylogeny, hybridization, tropical gekkonid lizards, 1252

COMPETITION (see also ECOLOGY)
maintenance of genetic variability, perennial grasses, 92
sib-competition hypothesis, outcrossing advantage, *Impatiens capensis*, 579
character displacement, niche shifts, nonsubstitutable resources, ESS model, 651

CRUSTACEANS
geographic genetic variation, amphipods (*Platorchestia platensis*), 438
coadapted gene complexes, interpopulation hybridization, intertidal copepods (*Tigriopus californicus*), 504

SUBJECT INDEX TO VOLUME 41

AMPHIBIANS
quantitative genetics, life-history variation, *Hyla crucifer*, 145
hybridizing populations, mitochondrial DNA, *Hyla cinerea* and *H. gratiosa*, 157
mitochondrial DNA, phylogenetic model, *Xenopus*, 176
ribosomal DNA, *Rana*, 454
call alternation, anurans (*Hyla crucifer, H. versicolor*, and *H. microcephala*), 461
polyploidy, hybrids, embryonic development, hatching success, salamanders (*Ambystoma*), 918
larval developmental patterns, heritability, genetic correlation, half- and full-sib designs, wood frogs (*Rana sylvatica*), 1088
genome size, developmental rate, limb regeneration, salamanders (Plethodontidae), 1239
length of larval period, small-mouthed salamanders (*Ambystoma texanum*), 1347

ANNELIDS
hooked setae, polychaetes, 427

ARACHNIDS
sexual dimorphism, sexual selection, male-chela size, pseudoscorpions (*Dinocheirus arizonensis*), 1072
sex ratio, demography, relatedness, social spiders, model, 1267

BEHAVIOR
mate choice, color-pattern variation, guppies, 1
aggressiveness, lifetime reproductive success, sexual selection, dragonflies, 22
selection for sexual isolation, *Drosophila mojavensis*, 37
photoresponse, sympatric species, drosophilids, 209
influence of familiarity, inbreeding wild horses, 229
call alternation, anurans, 461
thermoregulation, behavioral posture, wing pigmentation, butterflies, 472
courtship and territorial behavior, premating reproductive isolation, plumage phenotypes, hybridization, sexual selection, flickers, 539
social-system differences, delayed maturation, manakins, 547
seed-caching (Clark's nutcrackers), seed dispersal, family structure, spatial patterning, whitebark pine, 607
courtship sounds, genetic analysis, *Drosophila virilis*, 827
oviposition preference, larval fitness, herbivory, plants, butterflies, 892
sexual dimorphism, sexual selection, male-chela size, pseudoscorpions, 1072
thermal preference, thermal dependence, phylogenetic analysis, coadaptation, lizards, 1098
"streak" mating, cannibalism, ESS model, charr, 1120
post-selection isolation, mate choice, *Drosophila mojavensis*, 1409

BIRDS
repeatability and heritability, clutch size, Lesser Snow Goose, 453
size dimorphism, sexual selection, niche-partitioning, sparrows (*Passerculus sandwichensis*), 514
genetic differentiation, founder effects, electrophoresis, mynas (*Acridotheres tristis*), 525
courtship and territorial behavior, premating reproductive isolation, plumage phenotypes, hybridization, sexual selection, flickers, 539
delayed plumage maturation, neoteny, sexual selection, juvenile- and female-mimicry, manakins (*Chiroxiphia linearis* and *C. caudata*), 547
mate choice, isolating mechanisms, hybridization, seabirds, 559
seed-caching behavior, Clark's nutcrackers (*Nucifraga columbiana*), seed dispersal, whitebark pine, 607
mitochondrial DNA, subspecies relatedness, Canada goose (*Branta canadensis*), 662
sexual and natural selection, body size, red-winged blackbirds (*Agelaius phoeniceus*), 1401

BOOKS REVIEWED
Genes, Organisms, Populations: Controversies Over the Units of Selection, 232
Species and Speciation, 233
Aphid Ecology, 235
Vertebrate Zoogeography and Evolution in Australasia, 236
Taxonomy, Phylogeny and Zoogeography of Beetles and Ants, a Volume Dedicated to the Memory of Philip Jackson Darlington, Jr. (1904–1983), 449
Biology of the Reptilia, 450
Evolutionary Biology, Vol. 19, 683
The Great American Biotic Interchange, 684
Population Genetics and Molecular Evolution, 1135
Insects on Plants: Community Patterns and Mechanisms, 1137
The Dialectical Biologist, 1138
Geological Factors and the Evolution of Plants, 1416

CHROMOSOMAL EVOLUTION
rates in snails and vertebrates, 166
breeding systems, floral morphology, outcrossing rates, *Turnera ulmifolia*, 340
elevational gradient, gene flow, speciation, hybridization, *Peromyscus maniculatus*, 676
mitochondrial DNA, electrophoresis, inversion types, gene flow, hybrid zone, white-footed mouse, 864
sex chromosomes, model, 911
polyploidy, hybrids, embryonic development, hatching success, salamanders, 918
sex ratio, phylogeny, hybridization, tropical gekkonid lizards, 1252

COMPETITION (see also ECOLOGY)
maintenance of genetic variability, perennial grasses, 92
sib-competition hypothesis, outcrossing advantage, *Impatiens capensis*, 579
character displacement, niche shifts, nonsubstitutable resources, ESS model, 651

CRUSTACEANS
geographic genetic variation, amphipods (*Platorchestia platensis*), 438
coadapted gene complexes, interpopulation hybridization, intertidal copepods (*Tigriopus californicus*), 504

clonal diversity, allozyme variation, cladocerans (*Daphnia pulex*), 1335

DEVELOPMENT
evolution of ontogenies, quantitative-genetic model, mammalian maternal effects, 316
growth stability, heterozygosity, inbred versus outbred knobcone pine, 331
delayed plumage maturation, neoteny, sexual selection, juvenile- and female-mimicry, manakins, 547
heterochrony, quantitative-genetic variation, model, 799
polyploidy, hybrids, embryonic development, hatching success, salamanders, 918
larval developmental patterns, heritability, genetic correlation, half- and full-sib designs, wood frogs, 1088
genome size, developmental rate, limb regeneration, salamanders, 1239
length of larval period, habitat duration, salamander, 1347
phenotypic plasticity, heterochrony, cichlid fishes, 1357
inbreeding, heterozygosity, developmental stability, rainbow trout, 1413

DROSOPHILA
sexual selection, *Drosophila melanogaster*, 11
sexual isolation, geographic variation, *Drosophila mojavensis*, 37
viability selection, *Drosophila pseudoobscura*, 199
photoresponse, sympatric species, 209
cuticular hydrocarbons, sexual dimorphism, *Drosophila melanogaster*, 294
behavioral genetics, courtship sounds, heritability, *Drosophila virilis*, 827
hybrid dysgenesis, I-R and P-M systems, speciation, *Drosophila melanogaster*, 846
post-selection isolation, mate choice, *Drosophila mojavensis*, 1409

ECHINODERMS
egg volume, energetic content, life-history theory, starfish (*Pteraster tesselatus*), 914

ECOLOGY
color polymorphism, migration/selection balance, water snakes, 241
microgeographic phenotypic variation, lizards, 256
size dimorphism, sexual selection, niche-partitioning, sparrows, 514
juvenile- and female-mimicry, delayed plumage maturation, neoteny, sexual selection, manakins, 547
resource partitioning, sib-competition hypothesis, inbreeding depression, plants, 579
seed-caching behavior (Clark's nutcrackers), seed dispersal, family structure, spatial patterning, whitebark pine, 607
predation pressure, shell strength, foot tenacity, limpets, 638
interspecific competetion, character displacement, niche shifts, nonsubstitutable resources, ESS model, 651
age at first reproduction, body mass, phylogeny, *r*/*K* selection, 732
oviposition preference, larval fitness, herbivory, butterflies, 892
community coevolution, 1130

ELECTROPHORETIC VARIATION (see also VARIATION–GENETIC)
hybrid zones, fire ants, 280
population structure, outcrossing rates, Engelmann spruce and subalpine fir, 124
viabilities of amylase genotypes, *Drosophila pseudoobscura*, 199
heterozygosity and developmental stability, knobcone pine, 331
breeding systems, *Turnera ulmifola* complex, 340
dispersal, genetic differentiation, gene flow, marine shore fishes, 385
spatial subdivision, beetles, 401
geographic genetic variation, amphipods, 438
coadapted gene complexes, interpopulation hybridization, intertidal copepods, 504
genetic differentiation, founder effects, mynas, 525
seed dispersal, family structure, spatial patterning, whitebark pine, seed-caching behavior (Clark's nutcrackers), 607
realized gene flow via pollen, musk thistle, 613
interpopulational gene flow, mating systems, homosporous ferns, 620
ermine moths (*Yponomeuta*), 630
phosphoglucomutase gene duplication, phylogenetic relationships, *Clarkia*, 667
covariation of selfing rates with parental gene fixation, *Mimulus guttatus*, 760
optimal crossing distance, inbreeding, gene fixation, *Mimulus guttatus*, 772
multiple-locus heterozygosity, growth rate, pitch pine, overdominance, inbreeding, adaptive distance, 787
mitochondrial DNA, electrophoresis, inversion types, gene flow, hybrid zone, white-footed mouse, 864
geographic structure, relatedness, kin selection, eusocial bees, 902
genetic structure, inbreeding, cleistogamous annual herbs, 969
genetic diversity, gene introgression, monogyne and polygyne forms, fire ants, 979
secondary hybridization and introgression, shell morphology, founder events, land snails, 1022
phylogeny, cluster analysis, gene flow, North American cave crickets, 1198
sex ratio, chromosome and protein analyses, phylogeny, hybridization, tropical gekkonid lizards, 1252,
gene flow, neighborhood area, selfing annual plant, 1326
clonal diversity, *Daphnia pulex*, 1335
inbreeding, heterozygosity, developmental stability, rainbow trout, 1413

FISH
mate choice, color-pattern variation, guppies, 1
dispersal, genetic differentiation, gene flow, marine shore fishes, 385
spontaneous-heterosis hypothesis, unisexual hybrid (*Poeciliopsis*), 721
population-genetic structure, matriarchal phylogeny, mitochondrial DNA, mouthbrooding marine fishes (*Arius felis, Barge marinus, Opsanus tau,* and *Opsanus beta*), 991

alternative life histories, cannibalism, ESS model, charr (*Salvelinus malma miyabei*), 1120
phenotypic plasticity, heterochrony, ontogeny, cichlids (*Cichlasoma managuense*), 1357
life-history patterns, age-specific predation, guppies (*Poecilia reticulata*), 1370
seasonal variation in sexual and natural selection, mottled scu'pins (*Cottus bairdi*), 1386
inbreeding, heterozygosity, developmental stability, rainbow trout (*Salmo gairdneri*), 1413

FITNESS (see THEORY)

FUNGI
phylogenetic relationships, random-fragment hybridization, nuclear DNA, *Neurospora*, 1003

GENE FLOW
effect on sex ratio, model, 218
proximity-dependent mating success, colonial ascidian, 372
genetic differentiation, dispersal, marine shore fishes, 385
protein electrophoresis, spatial subdivision, beetles, 401
kin-structured migration, genetic population structure, model, 417
intraspecific variation in flower and inflorescence morphology, pollen-receipt patterns, 599
seed dispersal, family structure, spatial patterning, whitebark pine, seed-caching behavior (Clark's nutcrackers), 607
realized gene flow via pollen, electrophoresis, musk thistle, 613
electrophoretic variation, mating systems, homosporous ferns, 620
chromosome structure, speciation, hybridization, mice, 676
hybrid populations, forager behavior, pollen dispersal, inbreeding, perennial understory herbs, 679
covariation of selfing rates with parental gene fixation, *Mimulus guttatus*, 760
optimal crossing distance, inbreeding, gene fixation, allozymes, *Mimulus guttatus*, 772
mitochondrial DNA, electrophoresis, inversion types, gene flow, hybrid zone, white-footed mouse, 864
genetic structure, inbreeding, cleistogamous annual herbs, 969
allozyme variation, phylogeny, cluster analysis, North American cave crickets, 1198
neighborhood area, allozyme variation, selfing annual plant, 1326

HYBRIDIZATION
mitochondrial DNA, *Hyla*, 157
electrophoretic variation, fire ants, 280
coadapted gene complexes, intertidal copepods, 504
premating reproductive isolation, plumage phenotypes, sexual selection, courtship and territorial behavior, flickers, 539
mate choice, isolating mechanisms, seabirds, 559
chromosome structure, gene flow, speciation, mice, 676
forager behavior, pollen dispersal, inbreeding, perennial understory herbs, 679
spontaneous-heterosis hypothesis, unisexual-hybrid fish, 721
mitochondrial DNA, electrophoresis, inversion types, gene flow, white-footed mouse, 864
polyploidy, embryonic development, hatching success, salamanders, 918
genetic diversity, gene introgression, monogyne and polygyne forms, fire ants, 979
secondary hybridization and introgression, shell morphology, genetic variation, founder events, land snails, 1022
sex ratio, chromosome and protein analyses, phylogeny, tropical gekkonid lizards, 1252

INSECTS (see also DROSOPHILA)
lifetime reproductive success, sexual selection, *Plathemis lydia*, 22
spermatophore investment, grasshoppers, 221
genetic variation, host specificity, parthenogenesis, *Alsophila pometaria*, 269
electrophoretic variation, hybrid zones, fire ants (*Solenopsis invicta* and *S. richteri*), 280
protein electrophoresis, spatial subdivision, beetles (*Collops georgianus*), 401
thermoregulation, behavioral posture, wing pigmentation, butterflies (*Pieris*), 472
correlated characters, biogeographic variation, wing-melanization, butterflies (*Pieris*), 491
electrophoretic variation, ermine moths (*Yponomeuta*), 630
pollination symbiosis, figs, wasps (*Blastophaga psenes*), 693
oviposition preference, larval fitness, herbivory, plants, butterflies (*Euphydryas editha*), 892
geographic structure, relatedness, kin selection, electrophoresis, eusocial bees (*Lasioglossum zephyrum*), 902
genetic diversity, gene introgression, monogyne and polygyne forms, fire ants (*Solenopsis invicta*), 979
allozyme variation, phylogeny, cluster analysis, gene flow, North American cave crickets (*Euhadenoecus* and *Hadenoecus*), 1198
single-copy DNA divergence, phylogeny, North American cave crickets (*Euhadenoecus* and *Hadenoecus*), 1215

LIFE-HISTORY VARIATION
quantitative genetics, *Hyla*, 145
repeatability and heritability of clutch size, 453
age at first reproduction, body mass, phylogeny, *r*/*K* selection, 732
egg volume, energetic content, life-history theory, starfish, 914
heritability, half-sib analysis, meadow voles, 929
larval developmental patterns, heritable basis of variation, wood frog, 1088
length of larval period, small-mouthed salamanders, 1347
age-specific predation, guppies, 1370

MAMMALS
fluctuating asymmetry, inbreeding, cheetahs, 225
fluctuating asymmetry, inbreeding, cheetahs, 227
inbreeding, wild horses, 229
evolution of ontogenies, quantitative-genetic model, mammalian maternal effects, 316
chromosome structure, gene flow, speciation, hybridization, mice (*Peromyscus maniculatus*), 676
human tooth size, 705

age at first reproduction, body mass, phylogeny, *r/K* selection, 732
mitochondrial DNA, colonization, deer mice (*Peromyscus maniculatus*), 854
mitochondrial DNA, electrophoresis, inversion types, gene flow, hybrid zone, white-footed mouse (*Peromyscus leucopus*), 864
mitochondrial DNA, colonization, Columbian ground squirrels (*Spermophilus columbianus*), 873
life-history traits, heritability, half-sib analysis, meadow voles (*Microtus pennsylvanicus*), 929
human-chimpanzee-gorilla trichotomy, phylogeny, mitochondrial DNA, 1162

MOLECULAR EVOLUTION
mitochondrial DNA, hybridizing populations, *Hyla*, 157
mitochondrial DNA, phylogenetic model, *Xenopus*, 176
multigene family, population differentiation, model, 190
ribosomal DNA, population subdivision, perennial forb, 433
ribosomal DNA, *Rana*, 454
mitochondrial DNA, subspecies relatedness, Canada goose, 662
hybrid dysgenesis, I-R and P-M systems, speciation, *Drosophila melanogaster*, 846
mitochondrial DNA, colonization, deer mice, 854
mitochondrial DNA, electrophoresis, inversion types, gene flow, hybrid zone, white-footed mouse, 864
mitochondrial DNA, colonization, Columbian ground squirrels, 873
population-genetic structure, matriarchal phylogeny, mitochondrial DNA, mouthbrooding marine fishes, 991
phylogenetic relationships, random-fragment hybridization, nuclear DNA, fungi, 1003
human-chimpanzee-gorilla trichotomy, mitochondrial DNA, phylogeny, 1162
single-copy DNA divergence, phylogeny, North American cave crickets, 1215
genome size, developmental rate, limb regeneration, salamanders, 1239

MOLLUSKS
chromosomal rate of evolution, snails, 166
predation pressure, shell strength, foot tenacity, limpets, 638
shell morphology, chirality, gastropods (*Partula suturalis*), 672
secondary hybridization and introgression, shell morphology, genetic variation, founder events, land snails (*Cerion casablancae* and *C. incanum*), 1022
deep-ocean dispersal barriers, shell morphology, macroevolutionary patterns, gastropods, 1046

MUTATION
lethal-allele frequency, forest trees, 1123
genetic load, homosporous ferns, 1282

PALEOBIOLOGY
human tooth size, 705
diversification events, comparison, early Paleozoic versus Mesozoic, 1177

PHYLOGENY
mitochondrial DNA, *Xenopus*, 176
sectional delimitation, plants, 445
mitochondrial DNA, subspecies relatedness, Canada goose, 662
phosphoglucomutase gene duplication, electrophoresis, *Clarkia*, 667
age at first reproduction, body mass, *r/K* selection, 732
mitochondrial DNA, squirrels, 873
Wagner parsimony analysis, asexual reproduction, cestodes, 882
population-genetic structure, matriarchal phylogeny, mitochondrial DNA, mouthbrooding marine fishes, 991
random-fragment hybridization, nuclear DNA, fungi, 1003
thermal preference, thermal dependence, coadaptation, lizards, 1098
human-chimpanzee-gorilla trichotomy, mitochondrial DNA, 1162
allozyme variation, cluster analysis, gene flow, North American cave crickets, 1198
single-copy DNA divergence, North American cave crickets, 1215

PHYSIOLOGY
evolution of air-breathing, hypercarbia, 442
thermoregulation, behavioral posture, wing pigmentation, butterflies, 472
egg volume, energetic content, life-history theory, starfish, 914
thermal preference, thermal dependence, phylogenetic analysis, coadaptation, lizards, 1098
repeatability of sprint speed, lizards (*Sceloporus merriami*), 1116
origin of phosphatic skeletons, vertebrates, systemic acidosis, hypercalcemia, 1187
testing symmorphosis, 1404

PLANTS (see also REPRODUCTION–PLANT)
interspecific competition, maintenance of genetic variability, perennial grasses, 92
growth stability, heterozygosity, inbred versus outbred, knobcone pine (*Pinus attenuata*), 331
paternal versus maternal genetic effects, quantitative genetics, seed variability, sexual selection, wild radishes (*Raphanus raphanistrum*), 355
ribosomal DNA, population subdivision, perennial forb (*Clematis fremontii*), 433
sectional delimitation, *Tripsacum* and *Zea*, 445
postmating reproductive isolating mechanisms, yellow monkey flowers (*Mimulus guttatus*), 571
seed-caching behavior (Clark's nutcrackers), seed dispersal, family structure, spatial patterning, whitebark pine (*Pinus albicaulis*), 607
realized gene flow via pollen, electrophoresis, musk thistle (*Carduus nutans*), 613
phylogenetic relationships, phosphoglucomutase gene duplication, *Clarkia*, 667
multiple-locus heterozygosity, overdominance, inbreeding, adaptive distance, pitch pine (*Pinus rigida*), 787
lethal equivalents, recurrent mutation model, forest trees, 1123
viability and fecundity selection, *Impatiens pallida*, 1290
heavy-metal tolerance, bryophytes (*Funaria hygrometrica* and *Physcomitrium pyriforme*), 1312

gene flow, neighborhood area, allozyme variation, selfing annuals (*Triticum dicoccoides*), 1326

PLATYHELMINTHES
phylogeny, asexual reproduction, cestodes (Taeniidae), 882

QUANTITATIVE GENETICS
sexual selection, equilibrium analysis, *Drosophila melanogaster*, 11
half-sib design, life-history variation, *Hyla*, 145
evolution of phenotypic variance, genetic and environmental components, model, 303
evolution of ontogenies, model, mammalian maternal effects, 316
half-sib design, paternal versus maternal genetic effects, seed variability, sexual selection, wild radishes, 355
heterochrony, model, 799
maximum-likelihood approaches, simulation, 812
courtship sounds, diallel analysis, *Drosophila virilis*, 827
heritability, half-sib analysis, life-history traits, meadow voles, 929
larval developmental patterns, heritability, genetic correlation, half- and full-sib designs, wood frogs, 1088
natural selection, multiple-regression approach, theory, 1149

REPRODUCTION–ANIMAL
mate choice, color-pattern variation, guppy, 1
equilibrium analysis, sexual selection, *Drosophila melanogaster*, 11
lifetime reproductive success, opportunity for selection, dragonfly, 22
selection for sexual isolation, *Drosophila mojavensis*, 37
spermatophore investment, grasshoppers, 221
influence of familiarity on inbreeding, wild horses, 229
limited dispersal, mating success, inbreeding depression, colonial ascidians, 372
function of call alternation, anurans, 461
random mating, Northern Flicker hybrid zone, 539
delayed plumage maturation, social-system differences, manakins, 547
isolating mechanisms, seabirds, 559
evolution of unisexual vertebrates, spontaneous-heterosis hypothesis, 721
influences on mammalian age at first reproduction, 732
male-courtship sounds, genetic basis, *Drosophila virilis* group, 827
phylogeny, asexual reproduction, cestodes, 882
alternative life histories, cannibalism, ESS model, charr, 1120
parthenogenesis, tropical geckos, 1252
seasonal variation in sexual selection, mottled sculpin, 1386
mating preference and propensity, effects of selection, *Drosophila mojavensis*, 1409

REPRODUCTION–PLANT
pollen-size variation, pollen capture, *Ephedra*, 104
multilocus outcrossing rates, Engelmann spruce and subalpine fir, 124
intragametophytic selfing, heterozygote-advantage models, ferns, 137
chromosome counts, breeding systems, floral morphology, outcrossing rates, *Turnera ulmifolia*, 340
resource partitioning, sib-competition hypothesis, inbreeding depression, plants, 579
sex-allocation theory, outcrossing rate, hermaphroditic bromegrass, 591
intraspecific variation in flower and inflorescence morphology, floral-scent morphs, pollen-receipt patterns, 599
mating systems, electrophoretic variation, interpopulational gene flow, homosporous ferns, 620
hybrid populations, forager behavior, pollen dispersal, inbreeding, perennial understory herbs, 679
pollination symbiosis, figs, wasps, 693
fruit abortion, fruit-to-flower ratios, hermaphroditic plants, *Agave mckelveyana*, 750
covariation of selfing rates with parental gene fixation, *Mimulus guttatus*, 760
optimal crossing distance, inbreeding, gene fixation, *Mimulus guttatus*, 772
resource allocation to pollinator attraction, distribution of dioecy, theory, ESS, partially self-fertilizing cosexual plants, 948
genetic structure, inbreeding, cleistogamous annual herbs, 969
mutational genetic load, inbreeding versus outcrossing, homosporous ferns, 1282
flower color, outcrossing rates, morning glory (*Ipomoea purpurea*), 1302

REPTILES
color polymorphism, migration/selection balance, water snakes (*Nerodia sipedon*), 241
microgeographic phenotypic variation, lizards (*Gallotia galloti*), 256
thermal preference, thermal dependence, phylogenetic analysis, coadaptation, lizards (Lygosominae), 1098
repeatability of sprint speed, lizards (*Sceloporus merriami*), 1116
sex ratio, chromosome and protein analyses, phylogeny, hybridization, tropical gekkonid lizards (*Nactus arnouxii*), 1252

SELECTION–EXPERIMENTS
sexual isolation, *Drosophila mojavensis*, 37
viability selection, *Drosophila*, 199
sexual isolation, effects on mating preference and propensity, 1409

SELECTION–NATURAL
contributions to lifetime reproductive success, dragonfly, 22
predation pressure, shell strength, foot tenacity, limpets, 638
heritability, half-sib analysis, life-history traits, meadow voles, 929
quantitative genetics, multiple-regression approach, theory, 1149
phenotypic viability and fecundity, *Impatiens pallida*, 1290
sexual and natural selection, seasonal variation, mottled sculpins, 1386
sexual and natural selection, red-winged blackbirds, 1401

SELECTION–SEXUAL
mate choice, color-pattern variation, guppies, 1
wing length, *Drosophila*, 11
male-male competition, lifetime reproductive success, dragonflies, 22
paternal versus maternal genetic effects, quantitative genetics, seed variability, wild radishes, 355
size dimorphism, geographic variation, niche-partitioning, sparrows, 514
premating reproductive isolation, plumage phenotypes, hybridization, courtship and territorial behavior, flickers, 539
delayed plumage maturation, neoteny, juvenile- and female-mimicry, manakins, 547
sexual dimorphism, male-chela size, pseudoscorpions, 1072
sexual and natural selection, mottled sculpins, 1386
sexual and natural selection, red-winged blackbirds, 1401

SELECTION THEORY (see THEORY)

SEX
autogamy, number of sexes, 49
sex-allocation theory, outcrossing rate, hermaphroditic bromegrass, 591
sexually antagonistic genes, recombination, primitive sex chromosomes, model, 911
resource allocation to pollinator attraction, distribution of dioecy, theory, ESS, partially self-fertilizing cosexual plants, 948

SEX RATIO
sex-ratio selection with migration, model, 218
phylogeny, hybridization, tropical gekkonid lizards, 1252
demography, relatedness, social spiders, model, 1267

SPECIATION
sexual isolation, geographic variation, *Drosophila*, 37
founder events, additive-by-additive epistatic variance, 80
premating reproductive isolation, courtship and territorial behavior, plumage phenotypes, hybridization, sexual selection, flickers, 539
postmating reproductive isolating mechanisms, yellow monkey flowers, 571
chromosome structure, gene flow, hybridization, mice, 676
hybrid dysgenesis, I-R and P-M systems, speciation, *Drosophila melanogaster*, 846
deep-ocean dispersal barriers, shell morphology, macroevolutionary patterns, gastropods, 1046
diversification events, early Paleozoic versus Mesozoic, 1177

THEORY
evolution of the number of sexes, autogamy, 49
coevolution, ESS, 66
additive-by-additive, epistatic variance, founder events, 80
pollen-size variation, pollen capture, *Ephedra*, 104
heterozygote-advantage models, intragametophytic selfing, ferns, 137
multilocus population differentiation, 190
sex-ratio selection with migration, 218
evolution of phenotypic variance, genetic and environmental components, 303
evolution of ontogenies, quantitative-genetic model, mammalian maternal effects, 316
genetic population structure, kin-structured migration, 417
ESS model, interspecific competition, character displacement, niche shifts, nonsubstitutable resources, 651
heterochrony, quantitative-genetic variation, model, 799
quantitative genetics, maximum-likelihood approaches, 812
sexually antagonistic genes, recombination, primitive sex chromosomes, model, 911
resource allocation to pollinator attraction, distribution of dioecy, theory, ESS, partially self-fertilizing cosexual plants, 948
altruism, group selection, haystack model, 1059
alternative life histories, cannibalism, ESS model, charr, 1120
lethal equivalents, recurrent-mutation model, forest trees, 1123
evolution of pathogenicity, model, 1127
community coevolution, 1130
natural selection, multiple-regression approach, quantitative genetics, 1149
sex ratio, demography, relatedness, social spiders, model, 1267
genetic load, homosporous ferns, 1282
opportunity for selection, 1395

TUNICATES
limited dispersal, inbreeding depression, mating success, colonial ascidians (*Botryllus schlosseri*), 372

VARIATION–GENETIC
additive-by-additive epistatic variance, founder events, 80
maintenance, interspecific competition, perennial grasses, 92
inbreeding, fluctuating asymmetry, cheetahs, 225
inbreeding, fluctuating asymmetry, cheetahs, 227
host specificity, parthenogenesis, fall cankerworm, 269
growth stability, heterozygosity, inbred versus outbred knobcone pine, 331
genetic differentiation, gene flow, dispersal, marine shore fishes, 385
protein electrophoresis, spatial subdivision, beetles, 401
genetic population structure, kin-structured migration, model, 417
ribosomal DNA, population subdivision, perennial forb, 433
geographic variation, amphipods, 438
coadapted gene complexes, interpopulation hybridization, intertidal copepods, 504
genetic differentiation, founder effects, electrophoresis, mynas, 525
family structure, spatial patterning, seed dispersal, whitebark pine, seed-caching behavior (Clark's nutcrackers), 607
realized gene flow via pollen, electrophoresis, musk thistle, 613
electrophoretic variation, interpopulational gene flow, mating systems, homosporous ferns, 620

electrophoretic variation, ermine moths (*Yponomeuta*), 630
spontaneous-heterosis hypothesis, unisexual-hybrid fish (*Poeciliopsis*), 721
selfing rates, gene fixation, *Mimulus guttatus*, 760
optimal crossing distance, inbreeding, gene fixation, *Mimulus guttatus*, 772
multiple-locus heterozygosity, overdominance, inbreeding, adaptive distance, pitch pine, 787
geographic structure, relatedness, kin selection, electrophoresis, eusocial bees, 902
recombination, sexually antagonistic genes, primitive sex chromosomes, model, 911
genetic structure, inbreeding, *Impatiens capensis*, 969
gene introgression, monogyne and polygyne forms, fire ants, 979
mitochondrial-DNA divergence, marine fishes, 998
secondary hybridization and introgression, shell morphology, founder events, land snails, 1022
larval developmental patterns, wood frogs, 1088
allozyme variation, phylogeny, cluster analysis, gene flow, North American cave crickets, 1198
mutational genetic load, inbreeding versus outcrossing, homosporous ferns, 1282
clonal diversity, allozyme variation, *Daphnia pulex*, 1335
length of larval period, salamander, 1347
inbreeding, heterozygosity, developmental stability, rainbow trout, 1413

VARIATION–PHENOTYPIC
color-pattern variation, mate choice, guppies, 1
geographic variation, sexual isolation, *Drosophila*, 37
pollen-size variation, pollen capture, *Ephedra*, 104
color polymorphism, migration/selection balance, water snakes, 241
microgeographic variation, lizards, 256
cuticular hydrocarbons, sexual dimorphism, *Drosophila melanogaster*, 294
evolution of phenotypic variance, genetic and environmental components, model, 303
outcrossing rates, chromosome counts, breeding system, floral morphology, *Turnera ulmifolia*, 340
seed variability, paternal versus maternal genetic effects, quantitative genetics, sexual selection, wild radishes, 355
biogeographic variation, correlated characters, wing melanization, butterflies, 491
geographic variation, sexual dimorphism, Savannah Sparrow, 514
plumage, courtship and territorial behavior, premating reproductive isolation, hybridization, sexual selection, flickers, 539
flower and inflorescence morphology, floral scent, pollen-receipt patterns, 599
shell morphology, chirality, gastropods, 672
secondary hybridization and introgression, shell morphology, genetic variation, founder events, land snails, 1022
deep-ocean dispersal barriers, shell morphology, macroevolutionary patterns, gastropods, 1046
flower color, outcrossing rates, morning glory, 1302
phenotypic plasticity, heterochrony, cichlid fishes, 1357